

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	264	hub with authoriz\$5	US-PGPUB; USPAT	OR	OFF	2007/04/27 12:29
L3	40	(access\$3 near7 hub) with authoriz\$5	US-PGPUB; USPAT	OR	OFF	2007/04/27 12:33
L4	2510	switch\$3 with (configur\$6 adj3 mode\$1)	US-PGPUB; USPAT	OR	OFF	2007/04/27 12:30
L5	114	L4 and hub	US-PGPUB; USPAT	OR	OFF	2007/04/27 12:30
L6	946	communication adj1 hub	US-PGPUB; USPAT	OR	OFF	2007/04/27 12:30
L7	13	L6 same registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 12:30
L8	45	(access\$3 near7 hub) with authoriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 12:33


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar

 Results 1 - 10 of 10 for **hub "switch mode" authorize**. (0.03 seconds)

Smart gateway systems for Internet security for broadband communication networks: SoC solutions and ...

JL Chu, G Yu, E Chong, CC Chu - ASIC, 2003. Proceedings. 5th International Conference on, 2003 - ieeexplore.ieee.org

... the product is as cheap as **hub** and veiy ... mode (router mode and the **switch mode**) to adapt ... provide the flexible user authentication, **authorization** and accounting ...

[Web Search](#)

WIRELESS DRIFTER

N Kumar - panda.ece.stevens-tech.edu

... **Switch-mode** charging minimizes ... The development of a central **hub** for all the modules allows the drifter ... Ensure valid input values and proper user **authorization** ...

[View as HTML](#) - [Web Search](#)

Request for Proposal

E Dyer County - 911dispatch.com

... referred to in subdivision 1. of this section, shall be deemed to have been authorized by the board of directors of the bidder and such **authorization** shall be ...

[View as HTML](#) - [Web Search](#)

1997 Optical Network Interface Design Symposium Technical Proceedings

MA Westford, CA Santa Clara - agilent.com

Page 1. September 22, 1997 Westford, MA September 25, 1997 Santa Clara, CA 1997

Optical Network Interface Design Symposium Technical Proceedings Page 2. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

EXAMINING THE FEASIBILITY OF CREDIT-BASED VALUE

PIN TEXAS, M Burris, K Womack, T Collier, S Vadali ... - tti.tamu.edu

Page 1. Technical Report Documentation Page 1. Report No. FHWA/TX-04/0-4119-1 2.

Government Accession No. 3. Recipient's Catalog No. 5. Report Date October 2003 ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

bookj French Dictionary of Information Technology: French/English, English/French - group of 2 »

TR Pyper - 1989 - books.google.com

Page 1. French Dictionary of Information Technology Tbl. sOne G4D4-YZQ-YC47 Page

2. French Dictionary of Information Technology TR Pyper FRENCH/ENGLISH ...

[Web Search](#) - [Library Search](#)

Cisco ONS 15808 DWDM System Configuration Manual - group of 3 »

C Headquarters - cco.cisco.com

... Modifying the equipment without Cisco's written **authorization** may result in the equipment no longer complying with FCC requirements for Class A or Class B ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

bookj An Examination of Alternative Funding Solutions for ITS Deployment

RH Henk, Research and Technology Implementation ... - 2004 - tti.tamu.edu

... changes), and driver assignment. As a result, transit time declines and

some travelers **switch mode** to transit. In the study under ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[\[BOOK\] Testing for Emc Compliance: Approaches and Techniques - group of 2 »](#)

MI Montrose, EM Nakauchi - 2004 - [books.google.com](#)

... under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or **authorization** through payment ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Cable modem with voice processing capability - group of 3 »](#)

JC Thi, TF Rabenko, D Hartman, RM Lukas, KJ Unger, ... - 2002 - [freepatentsonline.com](#)

... and nodes 16, 34. Each node 16, 34 is electrically connected to a **hub** 22, 24, typically via an optical fiber 28, 32. The hubs 22 ...

[Cached](#) - [Web Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 89 for **hub switch mode automatically authorize**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

System, method and article of manufacture for cross-location registration in a communication system ... - group of 3 »

MK Bowman-Amuah - US Patent 6,081,518, 2000 - Google Patents

Page 1. [75] Inventor: Michel K. Bowman-Amuah, Colorado Springs, Colo. [73]

Assignee: Anderson Consulting, Palo Alto, Calif. [21] Appi. ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)

Fraud detection and user validation system for mobile earth terminal communication device - group of 6 »

WR Tisdale, CE Sigler - US Patent 5,708,716, 1998 - Google Patents

... INTERNETWORK DATA HUB FES NCC NOC STE ... US Patent Jan. 13, 1998 Sheet 16 of 37 5,708,716

MODE SATELLITEONLY AUTOMATIC ROAMING, SATELLITEPRIORITY ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

Personal communications service using wireline/wireless integration - group of 4 »

MJ Emery, BN Tucker, LD Schwartz - US Patent 5,506,887, 1996 - Google Patents

... Branch Exchange (PBX) Private **Automatic** Branch Exchange (PABX) Public

Switched

Telephone Network (PSTN ... for example, suggests access **authorization** in a ...

[Cited by 338](#) - [Related Articles](#) - [Web Search](#)

Wireless communication device with multiple external communication links - group of 4 »

BG Williams, JW Petermann - US Patent 6,842,617, 2005 - Google Patents

... In a remote **mode**, a communication docking bay located in a ... TO/FROM **SWITCH** ... Enables

automatic reporting of stored messages, prerecorded alerts, and caller ID ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Network communications security enhancing

S Chu - 2007 - freepatentsonline.com

... access point can be put in a **mode** that does ... and/or wireless router), a bridge, a **hub**, a **switch** ... from a port unless controller component 150 directs **switch** 131 to ...

[Cached](#) - [Web Search](#)

System and method for obtaining a status of an authorization device over a network

ED Light, JL Roberts - 2006 - freepatentsonline.com

... The sensor **hub** then sends a signal over a ... a telephone may be in a "roaming" **mode**

where the ... be wired, wireless, fiber, hybrid fiber coax, **switched**, packet-based ...

[Cached](#) - [Web Search](#)

IP/telephony user interface for a hybrid communication system - group of 3

»

MK Bowman-Amuah - US Patent 6,704,303, 2004 - Google Patents
... The user profile is enforced by rules in an active database that provides seam
-less cross-location **registration** without a need for duplicate databases located ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

System and method for obtaining a status of an authorization device over
a network for ...

ED Light, JL Roberts - 2006 - freepatentsonline.com
... The sensor **hub** then sends a signal over a ... a telephone may be in a "roaming"
mode
where the ... be wired, wireless, fiber, hybrid fiber coax, **switched**, packet-based ...
[Cached](#) - [Web Search](#)

System and method for instant match based on location, presence,
personalization and communication

A Chaudhuri - 2005 - freepatentsonline.com
... have not only become commonplace, but emerged as a **hub** for convergence ... more
times
in steps 714 and 708 before deciding to **switch** to the ad hoc **mode** in step ...
[Cached](#) - [Web Search](#)

System, method and article of manufacture for providing a customer
interface in a hybrid network - group of 3 »

MK Bowman-Amuah - US Patent 6,195,697, 2001 - Google Patents
Page 1. United States Patent Bowman-Amuah (54) SYSTEM, METHOD AND ARTICLE
OF
MANUFACTURE FOR PROVIDING A CUSTOMER INTERFACE IN A HYBRID
NETWORK ...
[Cited by 30](#) - [Related Articles](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 **Next**

hub switch mode automatically auth Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **11 - 20** of about **89** for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

[Rules database server in a hybrid communication system architecture - group of 3 »](#)

MK Bowman-Amuah - US Patent 6,542,593, 2003 - Google Patents

... Jin et al., "Performance Management In Packet **Switched** Networks; A New Approach t Delay Distribution Bounding For Packet Voice Service", Proceedings of the ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[METHOD AND DEVICE FOR EFFECTING VENUE SPECIFIC WIRELESS COMMUNICATION - group of 3 »](#)

RAMJ BALANI - EP Patent 1,400,135, 2004 - freepatentsonline.com

... a wired connection 116 with the central **hub** or **switch** 110 ... The **Switch**/Router 110 is connected with a high ... Client 200 sends command SYSMYMATCH' with **mode** either 'P ...

[Cached](#) - [Web Search](#)

[Personal communications service having a calling party pays capability - group of 2 »](#)

PJ D'Amico, DR Jones, LD Schwartz - US Patent 5,579,379, 1996 - Google Patents

... location, the subscriber's handset **automatically** registers with ... ISCP TELLS **SWITCH**

TO "PLAY ANNOUNCEMENT AND ... CANCEL ANY PREVIOUS **REGISTRATION ON WIRELESS SWITCH** ...

[Cited by 97](#) - [Related Articles](#) - [Web Search](#)

[Method of universal communication and devices thereof - group of 4 »](#)

H Wu - US Patent 6,744,874, 2004 - Google Patents

... 12D Call for voter **registration** ... A physical phone number can be used directly by the **switch** system to connect to a telephone or other **communication device**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[System and method for determining the status of a telephone in a packet switched network](#)

ED Light, JL Roberts - 2006 - freepatentsonline.com

... The sensor **hub** then sends a signal over a ... a telephone may be in a "roaming" **mode**

where the ... be wired, wireless, fiber, hybrid fiber coax, **switched**, packet-based ...

[Cached](#) - [Web Search](#)

[Method of personal communications service using wireline/wireless integration detecting a ... - group of 3 »](#)

MJ Emery, BN Tucker, LD Schwartz - US Patent 6,011,975, 2000 - Google Patents

... on its current location, the subscriber's handset **automatically** registers with ... **VALID REGISTRATION 9** ... ISCP TELLS **SWITCH** TO "PLAY ANNOUNCEMENT AND COLLECT DIGITS" ...

[Cited by 28](#) - [Related Articles](#) - [Web Search](#)

Cellular telephone as an authenticated transaction controller - group of 4 »

BW Partridge III - US Patent 5,608,778, 1997 - Google Patents

... itis mostly a communication and database **hub** that is ... Through a **switch** or a "punched in" code, the cellular ... home controller" **mode**, and in that **mode** the cellular ...

[Cited by 26](#) - [Related Articles](#) - [Web Search](#)

Virtual network configuration and management system for satellite communications system - group of 6 »

WB Garner, WR Tisdale - US Patent 6,411,806, 2002 - Google Patents

... INTERNETWORK EXTERNAL ENTITIES DATA **HUB** FES NCC NOC STE ... FIG . 8a RINGING OFF-HOOK

PSTN INTERSTATION IN BAND SIGNALING (CALLSETUP) **MODE** VOICE **MODE** Page 10. ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#)

Method and system for providing combined video and physiological data over a communication network ...

R Ellis, A Parvulescu - 2002 - freepatentsonline.com

... location 102 is processed by central **switch** 122, such ... and other processing to form a controller or central **hub**. ... in a bi-directional communication **mode** so that ...

[Cached](#) - [Web Search](#)

System and method for wireless communication between previously known and unknown users

R Mgrdechian, MHL Lee - 2005 - freepatentsonline.com

... with whom they are connected to through this **hub**-and-spoke ... devices that operate in

a listening **mode**, whereby target ... 1403 may include an "on/off" **switch** and an ...

[Cached](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **21 - 30** of about **89** for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

Transaction terminal

TR Fitch, G Gomez, WH Havens, MD McCall, JF O' ... - 2004 - freepatentsonline.com
... computer systems, eg, server system, or **hub** computer systems ... 210, 264 can be made

to **switch** a trigger ... 210 determines that a signature capture **mode** using touch ...

[Cached](#) - [Web Search](#)

Seamless integration of multiple data/internet connections

MS Chang, MK Eyer, AM Proehl, DKL Yang, FJ Zustak, ... - 2003 - freepatentsonline.com

... A **switch** then connects the requesting end-user device to ... other processing to form a controller or central **hub**. ... in a bi-directional communication **mode** so that ...

[Cached](#) - [Web Search](#)

METHOD OF MANUFACTURE FOR A KNOWLEDGE MANAGEMENT TOOL

K SWAMINATHAN, E LIONGOSARI, KL DEMPSKI, S KURTH, ... - EP Patent 1,377,914, 2004 - freepatentsonline.com

... In this **mode**, individual datagrams carrying a destination ... clustered lower level switches

connected to each **hub**. Packet-**switched** data is transmitted through the ...

[Cached](#) - [Web Search](#)

Power line communications device and method

BD Gidge, WO Radtke - 2006 - freepatentsonline.com

... embodiments, an automated gain control or **automatic** level control ... circuitry and LV transmit/receive **switch** 426 (which would be in receive **mode**) the first ...

[Cached](#) - [Web Search](#)

Power line communications device and method of use - group of 3 »

BD Gidge, WO Radtke - 2006 - freepatentsonline.com

... embodiments, an automated gain control or **automatic** level control ... circuitry and LV transmit/receive **switch** 426 (which would be in receive **mode**) the first ...

[Cached](#) - [Web Search](#)

Secure telematics - group of 2 »

CW Spaur, PJ Kennedy, MF Braitberg, A Fuchs, N ... - 2004 - freepatentsonline.com

... where the cellular phone 24 is being operated in a hands-free **mode**. ... 96-1 does not exist inasmuch as it is no longer a **switch** or central **hub** through which ...

[Cached](#) - [Web Search](#)

Power Line Communications Device and Method of Use

K Code, WO Radtke, KP Barrett, VP Images - freepatentsonline.com

... such networks may not include a **switch** (as in ... may approve or deny user device **authorization** requests, command ... a demodulator 480 and an **automatic** level control ...

[Cached](#) - [Web Search](#)

PatentView/EP1192770

S Parent, S Changes, G Info - gauss.ffii.org

... planners spend so much time in "firefighting" **mode**, trying to ... based **switch** and terminated

on a circuit **switched** SS7 network ... to the NGN -Acts as the **hub** for the ...

Cached - Web Search

Transaction terminal including signature entry feedback

G Gomez, TR Fitch, DM Fletcher, MD McCall, D ... - 2003 - freepatentsonline.com

... in slot 345 during a card reading **mode** was substantially ... equipped) another computer

system eg **HUB** 360, Network ... the appropriate cable, and may **switch** cables if ...

Cached - Web Search

Transaction terminal including raised surface peripheral to touch screen

TR Fitch, DM Fletcher, G Gomez, MD McCall, D ... - 2003 - freepatentsonline.com

... in slot 345 during a card reading **mode** was substantially ... equipped) another computer

system eg **HUB** 360, Network ... the appropriate cable, and may **switch** cables if ...

Cached - Web Search



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **Next**

hub switch mode automatically auth

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **31 - 40** of about **89** for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

Audio visual player apparatus and system and method of content distribution using the same - group of 2 »

RK Khedouri, JN Axelrod, HE Price - 2006 - freepatentsonline.com

... or -6/Ethernet cable) to an Internet **hub** (eg, cable ... or, alternatively, via a software **switch** and graphical ... **automatically** turns off from active **mode** to conserve ...

[Cached](#) - [Web Search](#)

Transaction terminal including imaging module

G Gomez, TR Fitch, MD McCall, JO'Donnell, GS Smith ... - 2003 - freepatentsonline.com

... in slot 345 during a card reading **mode** was substantially ... equipped) another computer

system eg **HUB** 360, Network ... the appropriate cable, and may **switch** cables if ...

[Cached](#) - [Web Search](#)

CO RR XX C CC LU XX XX XQ XX X XX II XX L LJJ

US Patent 7,113,090 - Google Patents

... reports **automatically** generated for them from aggregated ... Control Panel is simply a messaging **hub** which receives ... to a central system via **mode** ofcommunication. ...

[Web Search](#)

Data enhanced multi-media system for a set-top terminal

PA Boudreau, SH Russ - 2004 - freepatentsonline.com

... [0037] A **switch**, such as an asynchronous transfer **mode** (ATM) **switch** 530, provides ...

other elements in the subscriber television system, such as a **hub**, a node ...

[Cached](#) - [Web Search](#)

Transaction terminal having elongated finger recess - group of 3 »

MD McCall, TR Fitch, G Gomez, JO'Donnell, D ... - US Patent 7,121,470, 2006 - freepatentsonline.com

... systems, eg server system, or **hub** computer systems ... the invention, LEDs 6316 are **automatically** actuated to ... determines that a signature capture **mode** using touch ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

Pervasive computing network architecture

CD Do, D Nguyen, L Nguyen, NT Ha, TD Do - 2002 - freepatentsonline.com

... a LAN are connected together via a **hub** to form ... Max Voice Channel per Link 3 Protocol

Switched/Packet Combination ... and the mCM is in the data pass-through **mode**. ...

[Cached](#) - [Web Search](#)

Transaction terminal comprising imaging module

MD McCall, TR Fitch, G Gomez, JF O'Donnell, GS ... - 2003 - freepatentsonline.com

... computer systems, eg server system, or **hub** computer systems ... 210, 264 can be made

to **switch** a trigger ... 210 determines that a signature capture **mode** using touch ...

[Cached](#) - [Web Search](#)

Intelligent internet bargaining system

SH Khan - 2004 - freepatentsonline.com

... Internet connection using a public **switched** phone network ... database 4.6
communicate

through WAN **Hub 4.2** with ... decides to bargain in proxy **mode** [0092] BargainGuru ...

[Cached](#) - [Web Search](#)

Method and system for controlling presentation of media on a media storage device

H Risan, EV Fitzgerald - 2004 - freepatentsonline.com

... that are able to bypass user-**mode** drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

Technique for emulating an instruction set in providing electronic messaging service through an ...

TA Timmins, JS Miller - 2006 - freepatentsonline.com

... [0004] Another convenient **mode** of communication that ... An information **hub** 10 includes

one or more personalized ... stages in a call progression, **switch** matrix host ...

[Cached](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **41 - 50** of about **89** for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

Method and system for controlling presentation of computer readable media on a media storage device

H Risan, EV Fitzgerald - 2005 - freepatentsonline.com

... can be collectively referred to as **authorization** data. ... that are able to bypass **user-mode** drivers for ... on client computer system 210 **automatically** transmits a ...

[Cached](#) - [Web Search](#)

Method for redirecting of kernel data path for controlling recording of media

H Risan, EV Fitzgerald - 2004 - freepatentsonline.com

... that are able to bypass **user-mode** drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

Method and system for wireless voice channel/data channel integration

K Code, YJ Jiang, HM Chang, VP Images, I Mobileum, ... - freepatentsonline.com

... DVT)-VoiceXML application engine, which includes **automatic** speech recognition ... factor

is a measure of **switch** efficiency ... Voice talent; [0184] Input **mode**--voice or ...

[Cached](#) - [Web Search](#)

Power line communications system and method of operating the same

BD Gidge, WO Radtke - 2006 - freepatentsonline.com

... such networks may not include a **switch** (as in ... may approve or deny user device **authorization** requests, command ... a demodulator 480 and an **automatic** level control ...

[Cached](#) - [Web Search](#)

Game table player comp rating system and method therefor - group of 3 »

NK Hogan - US Patent 6,267,671, 2001 - Google Patents

... Invention The present invention relates to rating gaming players as to wagers placed at live card games and, more particularly, to **automatically** rating players ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

Method and system for fortifying software

JR Rice - 2006 - freepatentsonline.com

... so one lost connection is easily or **automatically** replaced by ... **mode** to a two-level challenge response **mode** requires that ... in the system and then a **switch** can be ...

[Cached](#) - [Web Search](#)

Method and system for managing and configuring virtual private networks - group of 2 »

M Tuomenoksa, S Bendinelli, J Francus, J Harwood, ... - US Patent 7,181,542, 2007 - freepatentsonline.com

... Export Citation: Click for **automatic** bibliography generation. ... when a gateway is provided

with **authorization** and/or ... a server, a router, a **switch**, a portable ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

**SYSTEM METHOD AND ARTICLE OF MANUFACTURE FOR A VOICE
MESSAGING EXPERT SYSTEM THAT ORGANIZES VOICE ...**

V PERTRUSHIN - 2002 - freepatentsonline.com

... particular diagram are relatively rapid, indicating that the **switch** was connected ...

The emotion associated with the voice signal is **automatically** determined in ...

[Cached](#) - [Web Search](#)

Internet package shipping systems and methods - group of 4 »

AG CREASY, KL STADELE, MR HILLBUSH, J DEVENEY, J ... - EP Patent 1,372,099,
2003 - freepatentsonline.com

... The package sender may also select as a **mode** of entry ... At the sorting **hub** 46, the
package 12 is sorted ... for pickup, directed to a mobile message **switch** (MMS) 104 ...

[Cached](#) - [Web Search](#)

Creation of package shipping labels via Internet

AG CREASY, KL STADELE, MR HILLBUSH, J DEVENEY, J ... - EP Patent 1,363,222,
2003 - freepatentsonline.com

... The package sender may also select as a **mode** of entry ... At the sorting **hub** 46, the
package 12 is sorted ... for pickup, directed to a mobile message **switch** (MMS) 104 ...

[Cached](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

hub switch mode automatically auth

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **51 - 60** of about **89** for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

Technique for effectively providing personalized communications and information assistance services

TA Timmins, NB Baker, JS Miller, CA Huey, PA ... - 2004 - freepatentsonline.com

... An information **hub** 10 includes one or more personalized ... stages in a call progression,

switch matrix host ... it will not be possible to **automatically** identify the ...

[Cached](#) - [Web Search](#)

TELEPHONIC EMOTION DETECTOR WITH OPERATOR FEEDBACK

VA PETRUSHIN - EP Patent 1,222,656, 2002 - freepatentsonline.com

... particular diagram are relatively rapid, indicating that the **switch** was connected ...

The emotion associated with the voice signal is **automatically** determined in ...

[Cached](#) - [Web Search](#)

Methods and systems to purchase bookings - group of 2 »

A Rangnekar - 2005 - freepatentsonline.com

... the form of needing to accept their **hub** cities, departure ... and may require days depending

on **mode** of payment ... dedicated lines for connecting to the **switch** or dial ...

[Cached](#) - [Web Search](#)

Integrating public and private network resources for optimized broadband wireless access and method

WA Hagen - 2002 - freepatentsonline.com

... an ISDN interface or the public **switched** telephone network (PSTN ... is to communicate

with the WAP in infrastructure **mode**. ... Instead a network **hub** or router 19 is ...

[Cached](#) - [Web Search](#)

Document communications controller

PV Grantham, JB Lyles, WT Smith - US Patent 6,073,160, 2000 - freepatentsonline.com

... for a smart set-top (SST) box positioned at the **hub** of a ... of systems and/or devices, all interconnected via an asynchronous transfer **mode** (ATM) **switch** 212 to ...

[Cited by 9](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

Scientific & Technology Framework

RLTDR GR - mexpress.intranet.gr

... 142 11.10.1. Authentication & Authorization Tools.....142 11.10.2. Firewall tools ...

[Related Articles](#) - [Web Search](#)

Providing collaborative installation management in a network-based supply chain environment

US Patent 6,606,744, 2003 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

[Cited by 16](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

ELEVATOR MODERNIZATION of MAIN BUILDING PRESIDENT'S
ELEVATORS 1-2

T Austin - esbd.tbpc.state.tx.us

... **CMBL/HUB** Certification Application ... Contractor shall provide the University a means for operating their facility in its most efficient **mode** without sacrificing ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Automated internet based interactive travel planning and management
system

D Block, J Volny, SA Brotz, SA Mueller - 2003 - freepatentsonline.com

... including airport domain names, transportation **hub** domain names ... permit the system

to then **automatically** make the ... system depending upon the **mode** of communication ...

[Cached](#) - [Web Search](#)

Problem isolation through translating and filtering events into a standard
object format in a ... - group of 2 »

US Patent 6,671,818, 2003 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

[Cited by 4](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **61 - 70** of about **89** for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

Systems and applications of lighter-than-air (LTA) platforms

GM Knoblach, EA Frische, BA Barkley - 2005 - freepatentsonline.com

... housing for attachment to the **hub** of a ... They may gain **authorization** to use government

or ... **Automatically** discharging the LiSO2 batteries before they contact the ...

[Cached](#) - [Web Search](#)

A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR REMOTE DEMONSTRATION OF BUSINESS CAPABILITIES IN AN ... - group of 3 »

AMK BOWMAN - EP Patent 1,232,455, 2002 - freepatentsonline.com

... planners spend so much time in "firefighting" **mode**, trying to ... **switch** and terminated on a circuit **switched** SS7 network ... to the NGN [0263] Acts as the **hub** for the ...

[Cached](#) - [Web Search](#)

PatentView/EP1232455

S Parent, S Changes, G Info - gauss.ffii.org

... planners spend so much time in "firefighting" **mode**, trying to ... **switch** and terminated on a circuit **switched** SS7 network ... to the NGN [0263] Acts as the **hub** for the ...

[Cached](#) - [Web Search](#)

PatentView/EP1181655

S Parent, S Changes, G Info - gauss.ffii.org

... The package sender may also select as a **mode** of entry ... At the sorting **hub** 46, the package 12 is sorted ... for pickup, directed to a mobile message **switch** (MMS) 104 ...

[Cached](#) - [Web Search](#)

Asset tracking in a network-based supply chain environment - group of 2 »

MG Mikurak - US Patent 7,124,101, 2006 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

PatentView/EP1257945

S Parent, S Changes, G Info - gauss.ffii.org

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

[Cached](#) - [Web Search](#)

Technology sharing during demand and supply planning in a network-based supply chain environment - group of 2 »

MG Mikurak - US Patent 7,130,807, 2006 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

COLLABORATIVE CAPACITY PLANNING AND REVERSE INVENTORY

MANAGEMENT DURING DEMAND AND SUPPLY PLANNING ... - group of 2 »

MG MIKURAK - EP Patent 1,287,458, 2003 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

Cached - Web Search

NETWORK AND LIFE CYCLE ASSET MANAGEMENT IN AN E-COMMERCE ENVIRONMENT AND METHOD THEREOF - group of 2 »

MG MIKURAK - EP Patent 1,275,052, 2003 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

Cached - Web Search

Increased visibility during order management in a network-based supply chain environment

MG Mikurak - 2004 - freepatentsonline.com

... to quickly and easily place, receive, transfer and **switch** telephone calls as ... systems, computer telephony interface (CTI) devices, **automatic** call distribution ...

Cached - Web Search



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **Next**

hub switch mode automatically auth

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 71 - 80 of about 89 for **hub switch mode automatically authoriz**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

[Method for providing curriculum enhancement using a computer-based media access system - group of 2 »](#)

H Risan, EV Fitzgerald - 2005 - freepatentsonline.com

... that are able to bypass user-mode drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

[Method and system for providing a media change notification on a computing system](#)

H Risan, EV Fitzgerald, RC Salas - 2005 - freepatentsonline.com

... that are able to bypass user-mode drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

[Method and system for preventing unauthorized recording of media content on a Macintosh operating ... - group of 2 »](#)

H Risan, EV Fitzgerald - 2005 - freepatentsonline.com

... that are able to bypass user-mode drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

[\[pdf\] The telemedicine system interoperability architecture: concept description and architecture overview](#)

RL Craft - Telemedicine Interoperability Alliance, Sandia National ..., 2003 - telemedicine.sandia.gov

... Sandia does not, however, **authorize** any modification or ... result, companies are starting

to **switch** their plans ... presence of the PDAs and **automatically** uploads the ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Preventing unauthorized distribution of media content within a global network](#)

H Risan, EV Fitzgerald - 2005 - freepatentsonline.com

... Export Citation: Click for **automatic** bibliography generation. ... can be collectively referred to as **authorization** data ... that are able to bypass user-mode drivers for ...

[Cached](#) - [Web Search](#)

[INTERNET BARGAINING SYSTEM - group of 3 »](#)

SH KHAN - EP Patent 1,297,469, 2003 - freepatentsonline.com

... Export Citation: Click for **automatic** bibliography generation. ... and a payment identifier

specifying **mode** of payment ... as specified in said **registration** agreement; or ...

[Cached](#) - [Web Search](#)

Methods and systems for an extranet - group of 2 »

S Bendinelli, M Herrick, J Keane, C Macey - 2002 - freepatentsonline.com

... Export Citation: Click for **automatic** bibliography generation. ... when a gateway is provided

with **authorization** and/or ... a server, a router, a **switch**, a portable ...

[Cached](#) - [Web Search](#)

Method and system for controlled media sharing in a network - group of 2

»

H Risan, EV Fitzgerald - 2004 - freepatentsonline.com

... Export Citation: Click for **automatic** bibliography generation. ... administrative node is enabled to **authorize** said node ... from accessing a kernel-**mode** media device ...

[Cached](#) - [Web Search](#)

Method and system for preventing unauthorized recording of media content in an iTunes TM environment

H Risan, EV Fitzgerald - 2005 - freepatentsonline.com

... that are able to bypass user-**mode** drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

Methods and system for providing network services using at least one processor interfacing a base ... - group of 3 »

J Ferraro, B Shimamoto, J Harwood, J Francus, M ... - US Patent 7,181,766, 2007 - freepatentsonline.com

... of: the self-configured first processor **automatically** initiating the ... a gateway is provided with **authorization** and/or ... a server, a router, a **switch**, a portable ...

[Related Articles](#) - [Cached](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

hub switch mode automatically auth

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hub switch mode automatically authorize "com

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **81 - 88** of **88** for **hub switch mode automatically authorize "co**

All Results

[L Schwartz](#)

[M Emery](#)

[M Bowman-Amuah](#)

[B Tucker](#)

[M Slavitt](#)

[Method and system for controlling video media - group of 3 »](#)

H Risan, EV Fitzgerald - 2005 - freepatentsonline.com

... can be collectively referred to as **authorization** data. ... that are able to bypass user-**mode** drivers for ... on client computer system 210 **automatically** transmits a ...

[Cached](#) - [Web Search](#)

[Conveyance scheduling and logistics system](#)

RH Rast - 2004 - freepatentsonline.com

... The transponder tag is configured to **automatically** transmit this ... Preferably a **switch** selection allows user to ... the type of lighting attached, **mode** of transition ...

[Cached](#) - [Web Search](#)

[Method and system for preventing unauthorized reproduction of electronic media - group of 2 »](#)

H Risan, EV Fitzgerald - 2006 - freepatentsonline.com

... that are able to bypass user-**mode** drivers for most ... operating on client computer system

210 **automatically** transmits a ... to and controls a selectable **switch** 511 in ...

[Cached](#) - [Web Search](#)

[PatentView/EP1065605](#)

S Parent, S Changes, G Info - gauss.ffii.org

... carried out by a mail **hub** machine to ... running mail through programs and **automatic** transfer of ... information concerning the operator's identity, **mode** of operation ...

[Cached](#) - [Web Search](#)

[SCHEDULE OF ITEMS for PROJECT FNWZ 01-0050 REPAIR CASS 400HZ MOTOR-GENERATORS AND DISTRBUTION ...](#)

TC TIME, C DAYS - eps.gov

... Switchgears has a main 4160V **switch** feeding a 250Kva ... access area is by **authorization**;

however, the ... relocation/reconnection of any **communication device** shall be ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Applications for a wireless location gateway](#)

DJ Dupray - 2004 - freepatentsonline.com

... The mobile **switch** center (MSC) provides communications ... of communicating; [0105]

(iii) **automatically** updating the ... a wireless location application **hub**, wherein a ...

[Cached](#) - [Web Search](#)

[PFN/TRAC system™ FAA upgrades for accountable remote and robotics control to stop the unauthorized ... - group of 2 »](#)

RC Walker - 2003 - freepatentsonline.com

... and Green low; and flag means for flagging **automatically** in at ... of VDL **Mode 2** and VDL **Mode 3** protocols ... and quarry the flight deck staff to **authorize** and confirm ...

[Cached](#) - [Web Search](#)

PFN/TRAC system FAA upgrades for accountable remote and robotics control to stop - group of 2 »

RC Walker - US Patent 6,965,816, 2005 - freepatentsonline.com

... and Green low; and flag means for flagging **automatically** in at ... of VDL **Mode 2** and VDL **Mode 3** protocols ... and quarry the flight deck staff to **authorize** and confirm ...

Cached - Web Search



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

hub switch mode automatically auth

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google